# Author Index to Volume 180

Allegrini, P., see D. Vitali	180 (1994) 297
Anfinrud, P.A., see T.A. Jackson	180 (1994) 131
A transfer of the second of th	
Bala, P., B. Lesyng and J.A. McCammon, Applications of quantum-classical and quan-	
tum-stochastic molecular dynamics simulations for proton transfer processes	180 (1994) 271
Ben-Amotz, D., see A.M. Williams	180 (1994) 119
Ben-Avraham, D. and D. Zhong, Diffusion-limited many-body reactions in one dimension	
and the method of interparticle distribution functions	180 (1994) 329
Benjamin, I., Solvent dynamics following charge transfer at the liquid-liquid interface	180 (1994) 287
Boukheddaden, K., J. Linares, S. Galam and F. Varret, Tunneling transfer in a coupled	
bistable oscillator pair	180 (1994) 43
Braun, D. and W. Rettig, Kinetic studies of twisted intramolecular charge transfer in highly	
viscous solvents as a function of pressure and temperature	180 (1994) 231
Brion, C.E., see W.F. Chan	180 (1994) 77
Con I am D.F. Compile	100 (1004) 167
Cao, J., see D.E. Sagnella	180 (1994) 167
Chan, W.F., G. Cooper and C.E. Brion, Discrete and continuum photoabsorption oscilla-	100 (1004) 77
tor strengths for the electronic spectrum of nitrous oxide (5.5-203 eV)	180 (1994) 77
Ciccotti, G., see D. Laria	180 (1994) 181
Clément, E., R. Kopelman and L. Sander, The diffusion-limited reaction A+A→0 in the	100 (1004) 227
steady state: influence of correlations in the source	180 (1994) 337
Cooper, G., see W.F. Chan	180 (1994) 77
Ferrario, M., see D. Laria	180 (1994) 181
Frenking, G., see Y. Yamaguchi	180 (1994) 55
Galam, S., see K. Boukheddaden	180 (1994) 43
Gaw, J.F., see Y. Yamaguchi	180 (1994) 55
Gitterman, M. and G.H. Weiss, A singular perturbation theory for reaction-diffusion	
equations	180 (1994) 319
Grigolini, P., see D. Vitali	180 (1994) 297
Hänggi, P., Escape over fluctuating barriers driven by colored noise	180 (1994) 157
Hershkowitz, E., see E. Pollak	180 (1994) 191
Jackson, T.A., M. Lim and P.A. Anfinrud, Complex nonexponential relaxation in myoglo-	
bin after photodissociation of MbCO: measurement and analysis from 2 ps to 56 µs	180 (1994) 131
Jiang, Y., see A.M. Williams	180 (1994) 119
Jiang, T., See A.M. Williams	100 (1754) 119
Kajii, Y., see Y. Takatori	180 (1994) 99

Kanamaru, N., Rotational effect on radiationless transition. II. Typical intermediate case,	100 (1004) 10
pyrazine	180 (1994) 19
Kanamaru, N., Rotational effect on radiationless transition. III. External magnetic-field	100 (1004) 27
effect	180 (1994) 37 180 (1994) 181
Kapral, R., see D. Laria	160 (1994) 161
Komatsuzaki, T. and I. Ohmine, Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body interaction and potential energy surfaces	180 (1994) 239
Kopelman, R., see E. Clément	180 (1994) 239
Ropellian, R., see E. Clement	160 (1994) 337
Laria, D., G. Ciccotti, M. Ferrario and R. Kapral, Activation free energy for proton trans-	
fer in solution	180 (1994) 181
Lesyng, B., see P. Bala	180 (1994) 271
Lim, M., see T.A. Jackson	180 (1994) 131
Linares, J., see K. Boukheddaden	180 (1994) 43
McCammon, J.A., see P. Bala	180 (1994) 271
Myers, A.B., Relating absorption, emission, and resonance Raman spectra with electron	
transfer rates in photoinduced charge transfer systems: promises and pitfalls	180 (1994) 215
Nordio, P.L. and A. Polimeno, Extended Fokker-Planck model for molecular rotations in	
liquids	180 (1994) 109
Obi, K., see Y. Takatori	180 (1994) 99
Ohmine, I., see T. Komatsuzaki	180 (1994) 239
	100 (1771) 207
Pelissier, M., see C. Teichteil	180 (1994) 1
Polimeno, A., see P.L. Nordio	180 (1994) 109
Pollak, E. and E. Hershkowitz, Activated rate processes: a multidimensional Kramers turn-	
over theory	180 (1994) 191
Remington, R.B., see Y. Yamaguchi	180 (1994) 55
Rettig, W., see D. Braun	180 (1994) 231
Sagnella, D.E., J. Cao and G.A. Voth, A semiclassical reactive flux method for the calcula-	
tion of condensed phase activated rate constants	180 (1994) 167
Sander, L., see E. Clément	180 (1994) 337
Schaefer III, H.F., see Y. Yamaguchi	180 (1994) 55
Shibuya, K., see Y. Takatori	180 (1994) 99
Silvers, S.J., see D.L. Warnaar	180 (1994) 89
Styrcz, S., see Z. Zboiński	180 (1994) 71
Takatori, Y., Y. Kajii, K. Shibuya and K. Obi, Dissociation of highly excited triplet ben-	
zophenone into phenyl radicals and carbon monoxide: determination of the reaction	
quantum yield and the heat of reaction by time-resolved thermal lensing technique	180 (1994) 99
Talkner, P., Finite barrier corrections for the Kramers rate problem in the spatial diffusion	
regime	180 (1994) 199
Teichteil, C. and M. Pelissier, Relativistic calculations of excited states of molecular iodine	180 (1994) 1

Varret, F., see K. Boukheddaden	180 (1994) 43
Vitali, D., P. Allegrini and P. Grigolini, Nonlinear quantum mechanical effects: real or ar-	
tefact of inaccurate approximations?	180 (1994) 297
Voth, G.A., see D.E. Sagnella	180 (1994) 167
Wang, J. and P. Wolynes, Survival paths for reaction dynamics in fluctuating environments	180 (1994) 141
Warnaar, D.L. and S.J. Silvers, Zeeman quantum beat spectroscopy of higher rovibrational	
levels of the V <sup>1</sup> B <sub>2</sub> state of carbon disulfide	180 (1994) 89
Weiss, G.H., see M. Gitterman	180 (1994) 319
Williams, A.M., Y. Jiang and D. Ben-Amotz, Molecular reorientation dynamics and micro-	
scopic friction in liquids	180 (1994) 119
Wolynes, P., see J. Wang	180 (1994) 141
Yamaguchi, Y., R.B. Remington, J.F. Gaw, H.F. Schaefer III and G. Frenking, Canonical orbital energy derivative studies of the C <sub>2</sub> H <sub>2</sub> and H <sub>2</sub> CO ground state potential energy	
hypersurfaces	180 (1994) 55
Zboiński, Z. and S. Styrcz, Predimeric pairs as traps for charge carriers in organic solids.	
Naphthalene and anthracene crystals	180 (1994) 71
Zhong, D., see D. Ben-Avraham	180 (1994) 329

# Subject Index to Volume 180

# Methods

## Theoretical

Classical mechanics	
Activated rate processes: a multidimensional Kramers turnover theory, E. Pollak and E. Hershkowitz	180 (1994) 191
Many body and quasiparticle approaches	. 4
Relativistic calculations of excited states of molecular iodine, C. Teichteil and M. Pelissier	180 (1994) 1
Coupling schemes and perturbative treatments	
Relativistic calculations of excited states of molecular iodine, C. Teichteil and M. Pelissier Rotational effect on radiationless transition. II. Typical intermediate case, pyrazine,	180 (1994) 1
N. Kanamaru	180 (1994) 19
Rotational effect on radiationless transition. III. External magnetic-field effect, N. Kanamaru Finite barrier corrections for the Kramers rate problem in the spatial diffusion regime,	180 (1994) 37
P. Talkner	180 (1994) 199
A singular perturbation theory for reaction-diffusion equations, M. Gitterman and	
G.H. Weiss	180 (1994) 319
Relativistic quantum mechanics	
Relativistic calculations of excited states of molecular iodine, C. Teichteil and M. Pelissier	180 (1994) 1
Relativistic calculations of excited states of molecular forme, C. Telenten and M. Fenssier	160 (1994)
Transport quantum mechanics	
Tunneling transfer in a coupled bistable oscillator pair, K. Boukheddaden, J. Linares,	
S. Galam and F. Varret	180 (1994) 43
Equilibrium statistical mechanics	
Solvent dynamics following charge transfer at the liquid-liquid interface, I. Benjamin	180 (1994) 287
Statistical mechanics of stationary states	
Escape over fluctuating barriers driven by colored noise, P. Hänggi	180 (1994) 157
Activated rate processes: a multidimensional Kramers turnover theory, E. Pollak and E. Hershkowitz	180 (1994) 191
Nonlinear quantum mechanical effects: real or artefact of inaccurate approximations?,	180 (1994) 191
D. Vitali, P. Allegrini and P. Grigolini	180 (1994) 297
Diffusion-limited many-body reactions in one dimension and the method of interparticle	-00 () 271
distribution functions, D. Ben-Avraham and D. Zhong	180 (1994) 329

Non-equilibrium thermodynamic and hydrodynamic theories	
Extended Fokker-Planck model for molecular rotations in liquids, P.L. Nordio and	
A. Polimeno	180 (1994) 109
Survival paths for reaction dynamics in fluctuating environments, J. Wang and P. Wolynes	180 (1994) 141
Escape over fluctuating barriers driven by colored noise, P. Hänggi	180 (1994) 157
Finite barrier corrections for the Kramers rate problem in the spatial diffusion regime,	
P. Talkner	180 (1994) 199
A singular perturbation theory for reaction-diffusion equations, M. Gitterman and G.H. Weiss	180 (1994) 319
Diffusion-limited many-body reactions in one dimension and the method of interparticle	
distribution functions, D. Ben-Avraham and D. Zhong	180 (1994) 329
The diffusion-limited reaction $A+A\rightarrow 0$ in the steady state: influence of correlations in the	
source, E. Clément, R. Kopelman and L. Sander	180 (1994) 337
Ab initio schemes for stationary properties	
Canonical orbital energy derivative studies of the C <sub>2</sub> H <sub>2</sub> and H <sub>2</sub> CO ground state potential	
energy hypersurfaces, Y. Yamaguchi, R.B. Remington, J.F. Gaw, H.F. Schaefer III and	
G. Frenking	180 (1994) 55
Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body	
interaction and potential energy surfaces, T. Komatsuzaki and I. Ohmine	180 (1994) 239
Computational and simulation methods	
Predimeric pairs as traps for charge carriers in organic solids. Naphthalene and anthracene	
crystals, Z. Zboiński and S. Styrcz	180 (1994) 71
A semiclassical reactive flux method for the calculation of condensed phase activated rate	
constants, D.E. Sagnella, J. Cao and G.A. Voth	180 (1994) 167
Activation free energy for proton transfer in solution, D. Laria, G. Ciccotti, M. Ferrario	
and R. Kapral	180 (1994) 181
Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body	
interaction and potential energy surfaces, T. Komatsuzaki and I. Ohmine	180 (1994) 239
Applications of quantum-classical and quantum-stochastic molecular dynamics simulations	100 (1004) 271
for proton transfer processes, P. Bala, B. Lesyng and J.A. McCammon	180 (1994) 271
Solvent dynamics following charge transfer at the liquid-liquid interface, I. Benjamin	180 (1994) 287
Diffusion-limited many-body reactions in one dimension and the method of interparticle	180 (1994) 329
distribution functions, D. Ben-Avraham and D. Zhong	180 (1994) 329
Molecular dynamics and scattering theory	
Rotational effect on radiationless transition. II. Typical intermediate case, pyrazine,	100 (1001) 10
N. Kanamaru	180 (1994) 19
Rotational effect on radiationless transition. III. External magnetic-field effect, N. Kanamaru	180 (1994) 37
Experimental	
D	

# Raman spectroscopy

Relating absorption, emission, and resonance Raman spectra with electron transfer rates in photoinduced charge transfer systems: promises and pitfalls, A.B. Myers

180 (1994) 215

Visible and UV spectroscopy	
Discrete and continuum photoabsorption oscillator strengths for the electronic spectrum of	
nitrous oxide (5.5-203 eV), W.F. Chan, G. Cooper and C.E. Brion	180 (1994) 77
Fluorescence spectroscopy	
Zeeman quantum beat spectroscopy of higher rovibrational levels of the V 1B2 state of carbon	
disulfide, D.L. Warnaar and S.J. Silvers	180 (1994) 89
Molecular reorientation dynamics and microscopic friction in liquids, A.M. Williams, Y. Jiang and D. Ben-Amotz	180 (1994) 119
Relating absorption, emission, and resonance Raman spectra with electron transfer rates in	
photoinduced charge transfer systems: promises and pitfalls, A.B. Myers	180 (1994) 215
Kinetic studies of twisted intramolecular charge transfer in highly viscous solvents as a function of pressure and temperature, D. Braun and W. Rettig	180 (1994) 231
Electron impact spectroscopy	
Discrete and continuum photoabsorption oscillator strengths for the electronic spectrum of	
nitrous oxide (5.5-203 eV), W.F. Chan, G. Cooper and C.E. Brion	180 (1994) 77
Laser methods	
Dissociation of highly excited triplet benzophenone into phenyl radicals and carbon	
monoxide: determination of the reaction quantum yield and the heat of reaction by time-	190 (1004) 00
resolved thermal lensing technique, Y. Takatori, Y. Kajii, K. Shibuya and K. Obi	180 (1994) 99
Picosecond spectroscopy	
Molecular reorientation dynamics and microscopic friction in liquids, A.M. Williams,	100 (1004) 110
Y. Jiang and D. Ben-Amotz  Complex nonexponential relaxation in myoglobin after photodissociation of MbCO:	180 (1994) 119
measurement and analysis from 2 ps to 56 µs, T.A. Jackson, M. Lim and P.A. Anfinrud	180 (1994) 131
	100 (1771) 101
Time-resolved experiments	
Zeeman quantum beat spectroscopy of higher rovibrational levels of the V <sup>1</sup> B <sub>2</sub> state of carbon disulfide, D.L. Warnaar and S.J. Silvers	180 (1994) 89
Dissociation of highly excited triplet benzophenone into phenyl radicals and carbon	100 (1994) 09
monoxide: determination of the reaction quantum yield and the heat of reaction by time-	
resolved thermal lensing technique, Y. Takatori, Y. Kajii, K. Shibuya and K. Obi	180 (1994) 99
Molecular reorientation dynamics and microscopic friction in liquids, A.M. Williams,	
Y. Jiang and D. Ben-Amotz	180 (1994) 119
Complex nonexponential relaxation in myoglobin after photodissociation of MbCO: measurement and analysis from 2 ps to 56 µs, T.A. Jackson, M. Lim and P.A. Anfinrud	180 (1994) 131
Kinetic studies of twisted intramolecular charge transfer in highly viscous solvents as a	100 (1994) 131
function of pressure and temperature, D. Braun and W. Rettig	180 (1994) 231
Objects	
Rulk systems	
DILLE SYSTEMS	

### **Bulk systems**

### Liquids neat

- Molecular reorientation dynamics and microscopic friction in liquids, A.M. Williams, Y. Jiang and D. Ben-Amotz
  - 180 (1994) 119

Liquids mixtures and solutions	
Dissociation of highly excited triplet benzophenone into phenyl radicals and carbon	
monoxide: determination of the reaction quantum yield and the heat of reaction by time-	
resolved thermal lensing technique, Y. Takatori, Y. Kajii, K. Shibuya and K. Obi	180 (1994) 99
Extended Fokker-Planck model for molecular rotations in liquids, P.L. Nordio and	( , , , , , , , , , , , , , , , , , , ,
A. Polimeno	180 (1994) 109
A semiclassical reactive flux method for the calculation of condensed phase activated rate	, ,
constants, D.E. Sagnella, J. Cao and G.A. Voth	180 (1994) 167
Activation free energy for proton transfer in solution, D. Laria, G. Ciccotti, M. Ferrario	
and R. Kapral	180 (1994) 181
Solvent dynamics following charge transfer at the liquid-liquid interface, I. Benjamin	180 (1994) 287
Crystals	
Predimeric pairs as traps for charge carriers in organic solids. Naphthalene and anthracene	
crystals, Z. Zboiński and S. Styrcz	180 (1994) 71
Glasses	
Survival paths for reaction dynamics in fluctuating environments, J. Wang and P. Wolynes	180 (1994) 141
Low-dimensional materials	
Diffusion-limited many-body reactions in one dimension and the method of interparticle distribution functions, D. Ben-Avraham and D. Zhong	180 (1994) 329
Dielectrics	
Predimeric pairs as traps for charge carriers in organic solids. Naphthalene and anthracene	
crystals, Z. Zboiński and S. Styrcz	180 (1994) 71
Biological systems	
Complex nonexponential relaxation in myoglobin after photodissociation of MbCO:	
measurement and analysis from 2 ps to 56 µs, T.A. Jackson, M. Lim and P.A. Anfinrud	180 (1994) 131
Survival paths for reaction dynamics in fluctuating environments, J. Wang and P. Wolynes	180 (1994) 141
Nonlinear quantum mechanical effects: real or artefact of inaccurate approximations?,	
D. Vitali, P. Allegrini and P. Grigolini	180 (1994) 297
Microscopic systems	
Molecules (neutral and ionic)	
Rotational effect on radiationless transition. II. Typical intermediate case, pyrazine,	
N. Kanamaru	180 (1994) 19
-diatomic	
Relativistic calculations of excited states of molecular iodine, C. Teichteil and M. Pelissier	180 (1994) 1
-small polyatomics	
Canonical orbital energy derivative studies of the C <sub>2</sub> H <sub>2</sub> and H <sub>2</sub> CO ground state potential	
energy hypersurfaces, Y. Yamaguchi, R.B. Remington, J.F. Gaw, H.F. Schaefer III and	
G. Frenking	180 (1994) 55

Discrete and continuum photoabsorption oscillator strengths for the electronic spectrum of	
nitrous oxide (5.5-203 eV), W.F. Chan, G. Cooper and C.E. Brion	180 (1994) 77
Zeeman quantum beat spectroscopy of higher rovibrational levels of the V <sup>1</sup> B <sub>2</sub> state of carbon disulfide, D.L. Warnaar and S.J. Silvers	180 (1994) 89
-aromatics	
Rotational effect on radiationless transition. III. External magnetic-field effect, N. Kanamaru Extended Fokker-Planck model for molecular rotations in liquids, P.L. Nordio and	180 (1994) 37
A. Polimeno	180 (1994) 109
Kinetic studies of twisted intramolecular charge transfer in highly viscous solvents as a	
function of pressure and temperature, D. Braun and W. Rettig	180 (1994) 231
Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body interaction and potential energy surfaces, T. Komatsuzaki and I. Ohmine	180 (1994) 239
-polymeric and biological	
Complex nonexponential relaxation in myoglobin after photodissociation of MbCO:	
measurement and analysis from 2 ps to 56 µs, T.A. Jackson, M. Lim and P.A. Anfinrud Applications of quantum-classical and quantum-stochastic molecular dynamics simulations	180 (1994) 131
for proton transfer processes, P. Bala, B. Lesyng and J.A. McCammon	180 (1994) 271
Molecular aggregates	
-dimers	
Tunneling transfer in a coupled bistable oscillator pair, K. Boukheddaden, J. Linares, S. Galam and F. Varret	180 (1994) 43
Applications of quantum-classical and quantum-stochastic molecular dynamics simulations	
for proton transfer processes, P. Bala, B. Lesyng and J.A. McCammon	180 (1994) 271
Nonlinear quantum mechanical effects: real or artefact of inaccurate approximations?,	100 (1004) 207
D. Vitali, P. Allegrini and P. Grigolini	180 (1994) 297
Quasiparticles (including excitions)	
Nonlinear quantum mechanical effects: real or artefact of inaccurate approximations?,	400 (400 4) 407
D. Vitali, P. Allegrini and P. Grigolini	180 (1994) 297
Defects and impurities	
Predimeric pairs as traps for charge carriers in organic solids. Naphthalene and anthracene	
crystals, Z. Zboiński and S. Styrcz	180 (1994) 71

### Phenomena

### Molecular structure

Canonical orbital energy derivative studies of the C<sub>2</sub>H<sub>2</sub> and H<sub>2</sub>CO ground state potential energy hypersurfaces, Y. Yamaguchi, R.B. Remington, J.F. Gaw, H.F. Schaefer III and G. Frenking

180 (1994) 55

351

Electronic structure and states  Politicistic colouistic and states of molecular india. C. Trichteil and M. Politicis.	190 (1004)	1
Relativistic calculations of excited states of molecular iodine, C. Teichteil and M. Pelissier Canonical orbital energy derivative studies of the C <sub>2</sub> H <sub>2</sub> and H <sub>2</sub> CO ground state potential	180 (1994)	1
energy hypersurfaces, Y. Yamaguchi, R.B. Remington, J.F. Gaw, H.F. Schaefer III and G. Frenking	180 (1994)	55
Predimeric pairs as traps for charge carriers in organic solids. Naphthalene and anthracene		
crystals, Z. Zboiński and S. Styrcz	180 (1994)	71
Electric and magnetic properties		
Zeeman quantum beat spectroscopy of higher rovibrational levels of the V <sup>1</sup> B <sub>2</sub> state of carbon disulfide, D.L. Warnaar and S.J. Silvers	180 (1994)	89
Molecular interactions		
Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body interaction and potential energy surfaces, T. Komatsuzaki and I. Ohmine	180 (1994)	239
Sucretarille and allowers and interestrice		
Spectral bandshapes and intensities  Discrete and continuum photoabsorption oscillator strengths for the electronic spectrum of		
nitrous oxide (5.5–203 eV), W.F. Chan, G. Cooper and C.E. Brion	180 (1994)	77
Relating absorption, emission, and resonance Raman spectra with electron transfer rates in	100 (100 1)	
photoinduced charge transfer systems: promises and pitfalls, A.B. Myers	180 (1994)	215
Coupling of electronic and nuclear motion		
Tunneling transfer in a coupled bistable oscillator pair, K. Boukheddaden, J. Linares, S. Galam and F. Varret	180 (1994)	43
Energy transfer processes		
Nonlinear quantum mechanical effects: real or artefact of inaccurate approximations?, D. Vitali, P. Allegrini and P. Grigolini	180 (1994)	297
Molecular photophysical processes		
Discrete and continuum photoabsorption oscillator strengths for the electronic spectrum of nitrous oxide (5.5-203 eV), W.F. Chan, G. Cooper and C.E. Brion	180 (1994)	77
Intramolecular dynamics		
Dissociation of highly excited triplet benzophenone into phenyl radicals and carbon monoxide: determination of the reaction quantum yield and the heat of reaction by time-	180 (1994)	00
resolved thermal lensing technique, Y. Takatori, Y. Kajii, K. Shibuya and K. Obi Complex nonexponential relaxation in myoglobin after photodissociation of MbCO:	180 (1994)	"
measurement and analysis from 2 ps to 56 µs, T.A. Jackson, M. Lim and P.A. Anfinrud Activated rate processes: a multidimensional Kramers turnover theory, E. Pollak and	180 (1994)	131
E. Hershkowitz	180 (1994)	191
Kinetic studies of twisted intramolecular charge transfer in highly viscous solvents as a		
function of pressure and temperature, D. Braun and W. Rettig	180 (1994) 2	231
Applications of quantum-classical and quantum-stochastic molecular dynamics simulations for proton transfer processes, P. Bala, B. Lesyng and J.A. McCammon	180 (1994) 2	271

-radiationless transitions		
Rotational effect on radiationless transition. II. Typical intermediate case, pyrazine,		
N. Kanamaru	180 (1994)	19
Rotational effect on radiationless transition. III. External magnetic-field effect, N. Kanamaru	180 (1994)	37
Luminescence spectra, yields and lifetimes		
Rotational effect on radiationless transition. II. Typical intermediate case, pyrazine,		
N. Kanamaru	180 (1994)	
Rotational effect on radiationless transition. III. External magnetic-field effect, N. Kanamaru	180 (1994)	37
Non-linear responses (including optical)	100 (1001)	
Escape over fluctuating barriers driven by colored noise, P. Hänggi	180 (1994)	157
Reactions (including dissociation)		
Escape over fluctuating barriers driven by colored noise, P. Hänggi	180 (1994)	157
Finite barrier corrections for the Kramers rate problem in the spatial diffusion regime,	180 (1994)	100
P. Talkner A singular perturbation theory for reaction-diffusion equations, M. Gitterman and	180 (1994)	199
G.H. Weiss	180 (1994)	319
Diffusion-limited many-body reactions in one dimension and the method of interparticle	100 (122.)	
distribution functions, D. Ben-Avraham and D. Zhong	180 (1994)	329
The diffusion-limited reaction $A+A\rightarrow 0$ in the steady state: influence of correlations in the		
source, E. Clément, R. Kopelman and L. Sander	180 (1994)	337
-condensed phase		
A semiclassical reactive flux method for the calculation of condensed phase activated rate		
constants, D.E. Sagnella, J. Cao and G.A. Voth	180 (1994)	167
Activation free energy for proton transfer in solution, D. Laria, G. Ciccotti, M. Ferrario	100 (1004)	101
and R. Kapral Activated rate processes: a multidimensional Kramers turnover theory, E. Pollak and	180 (1994)	181
E. Hershkowitz	180 (1994)	191
Finite barrier corrections for the Kramers rate problem in the spatial diffusion regime,	100 (1221)	
P. Talkner	180 (1994)	199
Energetics of proton transfer in liquid water. I. Ab initio study for origin of many-body		
interaction and potential energy surfaces, T. Komatsuzaki and I. Ohmine	180 (1994)	239
-photochemical		
Dissociation of highly excited triplet benzophenone into phenyl radicals and carbon		
monoxide: determination of the reaction quantum yield and the heat of reaction by time-	100 (1004)	00
resolved thermal lensing technique, Y. Takatori, Y. Kajii, K. Shibuya and K. Obi	180 (1994)	99
Tunneling		
A semiclassical reactive flux method for the calculation of condensed phase activated rate	100 (1001)	
constants, D.E. Sagnella, J. Cao and G.A. Voth	180 (1994)	16/
Electron transfer		
Tunneling transfer in a coupled bistable oscillator pair, K. Boukheddaden, J. Linares,	100 (1001)	4.0
S. Galam and F. Varret	180 (1994)	43

Extended Fokker-Planck model for molecular rotations in liquids, P.L. Nordio and	
A. Polimeno	180 (1994) 109
Relating absorption, emission, and resonance Raman spectra with electron transfer rates in	
photoinduced charge transfer systems: promises and pitfalls, A.B. Myers	180 (1994) 215
Kinetic studies of twisted intramolecular charge transfer in highly viscous solvents as a	
function of pressure and temperature, D. Braun and W. Rettig	180 (1994) 231
Solvent dynamics following charge transfer at the liquid-liquid interface, I. Benjamin	180 (1994) 287
Molecular motion (including diffusive)	
Extended Fokker-Planck model for molecular rotations in liquids, P.L. Nordio and	
A. Polimeno	180 (1994) 109
Molecular reorientation dynamics and microscopic friction in liquids, A.M. Williams,	(,
Y. Jiang and D. Ben-Amotz	180 (1994) 119
A singular perturbation theory for reaction-diffusion equations, M. Gitterman and	(,
G.H. Weiss	180 (1994) 319
Fluctuations and noise	
Survival paths for reaction dynamics in fluctuating environments, J. Wang and P. Wolynes	180 (1994) 141
Escape over fluctuating barriers driven by colored noise, P. Hänggi	180 (1994) 157
Activated rate processes: a multidimensional Kramers turnover theory, E. Pollak and	,
E. Hershkowitz	180 (1994) 191
Finite barrier corrections for the Kramers rate problem in the spatial diffusion regime,	
P. Talkner	180 (1994) 199
Collective motion and excitations	
Applications of quantum-classical and quantum-stochastic molecular dynamics simulations	
for proton transfer processes, P. Bala, B. Lesyng and J.A. McCammon	180 (1994) 271
for proton transfer processes, r. Daia, b. Lesyng and J.A. We Cannillon	100 (1994) 2/1